

	GUYENNE PAPIER	Valid from :	02/2010
	TECHNICAL DATA SHEET	Réf :	WOAF 150

DESCRIPTION OF THE PRODUCT						
<b>Product name :</b>	<b>WORK OF ART FRAME 150 g/m<sup>2</sup></b>					
CHARACTERISTICS	UNITS	METHODS		MIN	TARGET	MAX
Basis weight	g/m <sup>2</sup>	ISO 536	-	140,0	150,0	160,0
Caliper	µm	ISO 534	-	123,0	130,0	137,0
Moisture	%	ISO 287	-			
Stiffness Kodak	mNm	ISO DP 5629	Machine Direction Cross Direction	1,1 0,7	1,4 0,9	- -
Tear strength Elmendorf	mN	ISO 1974	Machine Direction Cross Direction	450 640	500 690	- -
Tensile strength	kN/m	ISO 1924	Machine Direction Cross Direction	6,6 2,7	7,6 3,4	- -
Smoothness Bekk	seconds	ISO DP 5627	Recto side Back side	>800 250	- 300	- -
Brightness R-457	%	D65	Recto side	89,8	91,8	93,8
Yellow Index	%	D65	Recto side	-13,4	-11,4	-9,4

OTHER CONDITIONS	
<p><b>STORAGE AND USE</b></p> <ul style="list-style-type: none"> <li>* If the temperature and moisture conditions of the storage are to different from the printing room conditions, packed paper need to be transfer in the printing room few days before printing.</li> <li>* Reels need to be keeping packed until the beginning of the printing.</li> <li>* If one reel is not used in totality, the remaining reel needs to be repacked immediately.</li> </ul>	